

References :

- [1] US Patent 7083779 - Nontoxic dental care herbal formulation for preventing dental plaque and gingivitis.
- [2] Linn. M. Abbas Ali, M. Abdul Mozid, Mst. Sarmina Yeasmin, Astaq Mohal Khan and Abu Sayeed; Research Journal of Agriculture and Biological Sciences, 2008, 4(6), 871-874.
- [3] B.P. Katz and E. Huntington ;; J DENT RES; 2004, 83, (Spec Iss C), C109 - C112
- [4] Roma Mitra ; Bakula- Indian Journal of History of Science, 1981, 16(2);169-180.
- [5] Basavaraj Koti, Purnima Ashok. ; Diuretic activity of extracts of Mimulus elengi Linn. Bark , International Journal of Green Pharmacy, 2010, 90-92.
- [6] Durre Shahwar and Muhammad Asam Raza ; African Journal of Microbiology Research, 2009, 3(8), 458-462.
- [7] M. Navazesh and C.M. Christensen ; J DENT RES; 1982, 61, 1158.
- [8] J. L. Rios, M.C. Recio and A. Villar; J. Ethnopharmacol.; 1998, 23, 127.
- [9] Moshrefi A.; Chlorhexidine ; J West Soc Periodontol Periodontal Abstr., 2002, 50(1): 5-9.
- [10] Anne D. Haffajee, Tina Yaskell and Sigmund S. Socransky ; J Am Dent Assoc; 2008, 139; 606-611.
- [11] F. A. Hamill et. al ; Traditional herbal drugs of southern Uganda: Part III: Isolation and methods for physical characterization of bioactive alkanols from *Rubus apetalus* ; Journal of Ethnopharmacology, 2003, 87(1), 15-19.
- [12] Machado T.B, Pinto A.V.; Pinto M.C.F.R.; Leal I.C.R.; International Journal of Antimicrobial Agents, 2003, 21(3), 279-284.
- [13] Motsei, M.L.; Lindsey, K.L.; Van Staden, J. and Jaeger, A.K. ; J. Ethnopharmacol., 2003, 86 (2-3), 235-241,
- [14] Satyavati G. V., Gupta A. K., Medicinal Plants of India, 2, Indian council of Medical Research, New Delhi, 257-261, 1987.
- [15] Nadkarni, K.M., Nadkarni, A.K. ; Indian Materia Medica, Vol.1, Popular Prakashan, Bombay, India, P.615-616, 1976
- [16] M. L. A. Silva, H. S. Coimbra, A. C. Pereira, V. A. Almeida, T. C. Lima, E. S. Costa,
- [17] A. H. C. Vinhólis, V. A. Royo, R. Silva, A. A. S. Filho, W. R. Cunha, N. A. J. C. Furtado, Carlos H. G. Martins, T. C. Carvalho, J. K. Bastos; Phytotherapy Research, 2007, 21 (5), 420 – 422.