

NIDDM, well before the development of complications.

References :

- [1] Halliwell B. Oxygen radicals : A commonsense look at their nature and medical importance. *Lancet* 1984; 1:1328-9.
- [2] Dormandy TL. Free radical reactions in biological systems. *Ann R Coll Surg Engl* 1980; 62(3):188-94.
- [3] Byung PY. Cellular defenses against damage from reactive oxygen species. *Physiol Rev* 1994; 74(1):139-61.
- [4] Burk RF. Protection against free radical injury by selenoenzymes. *Pharmacol Ther* 1990; 45(3):383-5.
- [5] Tare RS. Role of hyperglycemia and protein glycation in aggravating oxidative stress associated with diabetes. *Med J of West Indies* 1999; 27: 56-9.
- [6] Carl AB, Edward RA. *Tietz text book of clinical chemistry*. 3rd ed. Philadelphia : WB Saunders Company 1999; 965-6.
- [7] Dillard CJ, Kunert KJ, Tappel AL. Effects of vitamin E, ascorbic acid and mannitol on alloxan –induced lipid peroxidation in rats. *Arch Biochem Biophys* 1982; 216(1):204-12.
- [8] Omaye ST, Turnbull JD, Sauberlich HE. Selected methods for the determination of ascorbic acid in animal cells, tissues and fluids. *Methods Enzymol* 1979; 62: 1-11.
- [9] Ernest B, Olga D, Barbara Mk. Improved methods for the determination of blood glutathione. *J Lab Clin Med* 1963; 61(5):882-8.
- [10] Beauchamp C, Fridonch I. Superoxide dismutase. Improved assays and an assay applicable to acylamide gels. *Anal Biochem* 1971; 44:276-87.
- [11] Jain SK. Hyperglycemia can cause membrane lipid peroxidation and osmotic fragility in human red blood cells. *The Journal of Biological Chemistry* 1989; 264:21340-5.
- [12] Ranjini KS, Anusha B, Selvamani V, Moopil V, Rema M, Kalathinkal RS. Antioxidant status and lipid peroxidation in type II diabetes mellitus with and without complications. *Clinical Science* 1996; 90:255-60.
- [13] Sushil KJ, Robert M, John D, John JH. Erythrocyte membrane lipid peroxidation and glycosylated hemoglobin in Diabetes. *Diabetes* 1989;38: 1539-43.
- [14] Gallou G, Ruelland A, Legras B, Maugendra D, Allannic H, Cloarec L. Plasma malondialdehyde in type I and type II diabetic patients. *Clin Chem Acta* 1993;214:227-34.
- [15] Kapeghain JC, Verlangieri AJ. The effects of glucose on ascorbic acid uptake in heart endothelial cells : possible pathogenesis of diabetic angiopathies. *Life Sci* 1984;34(6):577-84.
- [16] Peuchant E, Delmes MCB, Couchouron A, Dubourg L, Thomas MJ, Peromat A et al. Short term insulin therapy and normoglycemia. Effects on erythrocyte lipid peroxidation in NIDDM patients. *Diabetes Care* 1997;20(2):202-7.
- [17] Murakami K, Kondo T, Ohtsuka Y, Fujiwara Y, Shimada M, Kawakami Y. Impairment of glutathione metabolism in erythrocytes from patients with diabetes mellitus. *Metabolism* 1989;38(8):753-8.